


CD-200©
CD/DVD Spindle Counter
Specification Document

# **CD-200**<sup>©</sup> CD/DVD Spindle Counter

Losing count of CD/DVDs in production can cause major problems at the various processing stages (whether in-house or at the customer site), which ultimately are very costly to rectify.

Bronway Ltd. has designed the CD-200 Spindle Counter as a low cost unit to automate and simplify the accurate count of CD/DVDs transported on spindles at the various stages in CD/DVD manufacturing plants and in software companies



The CD-200 Spindle Counter offers significant advantages and cost savings over existing count/measurement methods. Gone are inaccurate manual weight and height measurement techniques.

By using the CD-200 Spindle counter you can easily and accurately count production yields at each processing stage. The on-going issues generated between internal departments over CD/DVD counts can now be eliminated. Equally bulk shrink-wrapped CD/DVDs can now be confidently shipped to customers.

This stand-alone, ergonomic unit, with minimum footprint is designed to give maximum trouble-free operation on a continuous basis, thus freeing up valuable resources for more cost-effective tasks. The worry of in-process count problems is eliminated.

#### **FEATURES**

Accurate CD/DVD spindle counts.

99.99% count accuracy.

100% repeatable.

Automatic count verification.

- Through-scan laser operation with powerful SCANRITE© maths algorithm.
- 3-second cycle time.
- 200 discs 3 seconds; 50 discs 1 second; -automatic.
- Red/Green, Go/No go Visual indicators. Used primarily for pass/fail on pre-set quantity.
- Programmable 'hands free' Auto Start.
- Normal and batch mode operation.
- Stores up to 9 individual count programmes. User programmable from the front panel.
- Programmable to subtract shipping blanks.
- Programmable to handle a variety of spindle spacers.
- RS232 port for a variety of label printers.
- RS232 port for PC Host Monitoring/Reporting Systems.
- Full clear text message display.
- Automatic self test on power-up.
- Automatic laser-off after 5 minutes.
- Non-volatile programme memory.
- Safe solid state laser.

#### BENEFITS

- Determine production yields at each process stage.
- Pinpoint areas of CD/DVD loss 'in-process' full CD/DVD tracability.
- Set-up and operation by non-technical personnel via the keypad and display on the front panel.
- No pre-configuration charges, as the CD-200 is fully programmable.
- Optional Host PC Information Centre Displays current status of Normal and batch modes on a PC monitor. User programmable fields for job details. Information is stored in a database format for further customer definable reporting.

### **SPECIFICATIONS**

- Weight
  - 11Kg.
- Dimensions

240mm X 310mm X 500mm.

- Energy Requirements
  - 220/110 VAC 50/60Hz.
- Display

2 x 16 character Display.

## For further information, please contact:

# Bronway Ltd.

Bray Business Park, Southern Cross Route, Bray, Co. Wicklow, Ireland

Tel.: +353-1-2800200 Fax: +353-1-2845835

E-mail: info@bronway.com

# **Bronway USA**

20 Spruce Lane Gorham ME 04038 USA

Tel: +1 207 838 0809 Fax: +1 207 839 8405

Web: http://www.bronway.com